Planning Permit



Permit No	P179016B/21
Planning scheme	Mansfield Planning Scheme
Responsible authority	Mansfield Shire Council
Address of the Land	Lot B PS749838M Parish of Mansfield Reserve 1 PS739865Q Parish of Mansfield 57 Stock Route Mansfield VIC 3722

The Permit allows:

Multi lot staged subdivision of land, in accordance with the endorsed plans

The following conditions apply to this Permit:

Endorsed Plans

1. The subdivision approved under this permit must be undertaken in accordance with the plans endorsed and forming part of this permit.

Public Open Space

- 2. Prior to the issue of Statement of Compliance under the *Subdivision Act* 1988 for each stage of the subdivision, the permit holder must pay to the Responsible Authority:
 - a. A sum equivalent to 5 per cent of the site value of all the land in that stage of the subdivision; and
 - b. Any costs associated with valuation of the land including valuers fees.

The permit holder must make a request to Council to commence the process involved with this condition.

Telecommunications

3. The owner of the land must enter into an agreement with:

Mansfield Shire Council 33 Highett Street Private Bag 1000 MANSFIELD VIC 3724

03 5775 8555 mansfield.vic.gov.au council@mansfield.vic.gov.au

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21



- a) a telecommunications network or service provider for the provision of telecommunication services to each lot shown on the endorsed plan in accordance with the provider's requirements and relevant legislation at the time; and
- b) a suitably qualified person for the provision of fibre ready telecommunication facilities to each lot shown on the endorsed plan in accordance with any industry specifications or any standards set by the Australian Communications and Media Authority, unless the applicant can demonstrate that the land is in an area where the National Broadband Network will not be provided by optical fibre.
- 4. Before the issue of a Statement of Compliance for any stage of the subdivision under the Subdivision Act 1988, the owner of the land must provide written confirmation from:
 - a) a telecommunications network or service provider that all lots are connected to or are ready for connection to telecommunications services in accordance with the provider's requirements and relevant legislation at the time; and
 - b) a suitably qualified person that fibre ready telecommunication facilities have been provided in accordance with any industry specifications or any standards set by the Australian Communications and Media Authority, unless the applicant can demonstrate that the land is in an area where the National Broadband Network will not be provided by optical fibre.

Landscaping

5. Prior to the certification of the plan of subdivision, a detailed landscape plan for that stage must be submitted to and approved by the Responsible Authority. When approved, the landscape plan will be endorsed and will then form part of the permit. The landscape plan must be drawn to scale with dimensions must be provided.

The landscape plan must be consistent with the construction plans for the development and must show:

- a. New planting, including their layout to be provided in any road reserves and municipal reserves;
- b. Detailed planting schedule of all proposed trees, shrubs and groundcovers, including botanical names, common names, pot sizes, sizes at maturity and quantities of each plant. The plant schedule should be based on the recommended planting schedule documented in the *Revegetation Guide for the*

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21
1 emili NO	1 17 90 100/21



Goulburn Broken Catchment as published by the Goulburn Broken Catchment Management Authority;

- c. The removal of all existing disused structures, foundations, pipelines or stockpiles and the eradication of weeds;
- d. All trees planted as part of the landscape works must have a minimum height of 2.0 to 2.5m at the time of planting unless otherwise agreed by the Responsible Authority;
- e. The supply and spread of sufficient topsoil and sub soil if required on the proposed areas of open space to provide a stable, free draining surface and hydro-seeding of proposed grass areas (including within the drainage reserve/s);
- f. Soil quality and planting techniques in median or verge tree planting zones along arterial roads (including service road nature strips) that will support full growth of medium to large trees;
- g. Mechanisms for the exclusion of vehicles;
- h. All proposed open space, streetscape embellishments such as installation of pathways, garden beds, seating, shelters, picnic facilities, boardwalks, tree planting, signage, drinking fountains, irrigation systems, playgrounds, artwork, retaining walls, protective fencing (temporary and permanent), wetlands and ornamental water bodies (including within the drainage reserve); and
- i. Detailed designs for all stormwater treatment features such as bio-retention systems consistent with the submitted Stormwater MUSIC modelling.
- 6. Prior to the issue of a Statement of Compliance, all nature strips must be seeded and fertilised and grass must be established to the satisfaction of the Responsible Authority.
- 7. Prior to the issue of a Statement of Compliance, all landscaping works (including street trees) shown on the endorsed plan must be carried out and completed to the satisfaction of the Responsible Authority.
- 8. The landscaping shown on the endorsed plans including street trees must be maintained for a period of twelve months from the date of practical completion of the works to the satisfaction of the Responsible Authority. Formative pruning must be undertaken to the

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21



satisfaction of the Responsible Authority prior to the end of the 12 month period. Any dead, diseased or damaged plants are to be replaced within 12 months of the date of practical completion for the works.

Engineering conditions

- 9. Prior to the commencement of works or certification of the plan of subdivision (whichever occurs first), the owner or developer must submit to the Responsible Authority a written report and photos of any existing/prior damage to public infrastructure. The report must detail the condition of kerb & channel, footpath, seal, street lights, signs and other public infrastructure fronting the property and abutting at least two properties either side of the development.
 - Unless identified within the written report, any damage to infrastructure will be attributed to the development. The permit holder must pay for any damage caused to the Councils assets/Public infrastructure caused as a result of the development permitted by this permit, prior to the issue of a Statement of Compliance or at a later time as may be agreed by the Responsible Authority.
- 10. Prior to the certification of the plan of subdivision, road names must be submitted to and approved by the Responsible Authority. Until such time as these road names are approved, they must not be shown on any plans submitted for endorsement or certification.
- 11. Before the certification of the plan of subdivision or commencement of works (whichever occurs first), all design drawings must be submitted to and approved by the Responsible Authority. All roads, road reserve, court bowls, footpaths, on street parking, kerb and channelling are to be designed in accordance with the Infrastructure Design Manual (IDM) and to the satisfaction of the Council. These plans must include the following details:
 - a. All pavement is to be constructed in accordance with the Infrastructure Design Manual (IDM) and by a suitably qualified CPEng, National Engineering Registered (NER) engineer, to the satisfaction of the Responsible Authority.
 - b. Demonstrate in the design that road pavement will not be adversely affected by the creek on east side of the road.
 - c. Concrete footpaths must be provided on both sides of all roads and must be connected to existing footpaths.

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21
1 311111113	1 17 00 10 10 10 12 1



- d. Traffic calming treatments must be installed in accordance with Austroads standards.
- e. Temporary Court Bowl must be provided at the East end of Stockmans Drive.
- f. Temporary court bowls or road dead ends shall be fully fenced, appropriately signed, shaped, drained, and be of all-weather construction (minimum pavement thickness 100mm, class 4 FCR), with a minimum turning radius of 10m.
- 12. Maintenance of the temporary court bowl will remain the responsibility of the developer and remain in place until such time as agreed by Council.
- 13. All road, road related areas and public open spaces / reserves within the new subdivision must be provided with public lighting in accordance with the minimum requirement for Category P lighting guidelines and light technical parameters in AS/NZS 1158.3.1 and as approved by the Responsible Authority. All public lighting must incorporate the use of energy efficient globes (i.e., T5).
- 14. All road intersections must be signed and line marked to be compliant with VicRoads Traffic Engineering Manual Volume 2.
- 15. All pavement is to be constructed in accordance with the Infrastructure Design Manual (IDM) and a suitably qualified CPEng, National Engineering Registered (NER) engineer, to the satisfaction of the Responsible Authority.
- 16. All road intersections must be signed and line marked to be compliant with VicRoads Traffic Engineering Manual Volume 2.
- 17. The extent and depth of all proposed lot filling is to be denoted on the design plan. Where depths of fill on allotments exceed 300 mm, those areas are to be clearly differentiated from areas where the depths of fill are less than 300 mm.
 - Where the depth of fill exceeds 300mm, the fill is to be compacted in accordance with the requirements of Table 204.131 Compaction Requirements Scale C of VicRoads Technical Specification 204 and shaped to match existing site levels, to the satisfaction of the Responsible Authority.
- 18. Before the certification of the plan of subdivision, a Stormwater Management Strategy based on WSUD best practice demonstrated by MUSIC modelling, drainage plans and computations must be submitted to and approved by the Responsible Authority. All works

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No P179016B/21



carried out must be in accordance with those plans to the satisfaction of the Council. The following parameters must be included:

- a. Altered overland flow paths must pass through the designed routes within reserves for municipal purposes or within easements. No overland flow shall be allowed to impact on the adjacent lots.
- b. Demonstrate that the proposed lots are flood free in a 1 % AEP storm event.
- c. A maintenance plan be provided for all stormwater treatment assets.
- d. Rainwater tanks for each lot with a capacity not less than 15,000 litres. The tanks must be installed and connected to toilet system, laundry washing machine taps and garden watering. Plumbing details must be provided with the design drawings. 3 Signage, Street Furniture and Services
- 19. Prior to the issue of a Statement of Compliance, the permit holder must enter into an agreement with the Responsible Authority pursuant to Section 173 of the *Planning and Environment Act 1987*, to the effect that:
 - a) A rainwater tank with a capacity of not less than 15,000 litres must be provided to each dwelling and connected to internal toilets and laundries, and include an outlet for garden watering to the satisfaction of the Responsible Authority.

The permit holder must pay the reasonable costs of the preparation, review, execution and registration of the Section 173 Agreement by Council's preferred solicitors.

- 20. All street signs and furniture must be installed prior to the issue of a Statement of Compliance, and must meet Mansfield Shire Council, VicRoads and Australian Standards to the satisfaction of the Responsible Authority.
- 21. Prior to the certification of the plan or commencement of works, a Site Management Plan (SMP) must be submitted to and approved by the Responsible Authority. The SMP will contain at minimum:
 - a. Protection of significant native vegetation during the construction of roads, reticulated services and other infrastructure.
 - b. Prevention of adverse environmental impacts on existing waterways including through run-off and siltation.

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21



- c. Procedures to ensure access by construction vehicles during the construction does not impact the amenity of the surrounding neighbourhood.
- d. All construction and ongoing activities must be in accordance with sediment control principles outlined in 'Construction Techniques for Sediment Pollution Control' (EPA, 1991).
- e. All services must avoid root zones of existing trees. Where services cannot be placed to avoid the root zone, boring and/or hand digging must be undertaken to minimise root damage to the satisfaction of the Responsible Authority.
- f. Temporary barriers must be erected around the drip line of existing trees and maintained during construction to the satisfaction of the Responsible Authority.
- g. Measures to control noise, dust, water and sediment laden runoff;
- h. Measures relating to removal of hazardous or dangerous material from the site, where applicable.
- i. A plan showing the location of parking areas for construction and sub- contractors' vehicles on and surrounding the site, to ensure that vehicles associated with construction activity cause minimum disruption to surrounding properties.
- j. A Traffic Management Plan showing truck routes to and from the site;
- k. Swept path analysis demonstrating the ability for trucks to enter and exit the site in a safe manner for the largest anticipated truck associated with the construction;
- I. A site plan showing the location of any site sheds, on-site amenities, building waste storage and the like, noting that Council does not support site sheds on Council road reserves: and
- m. Any other relevant matters.

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No P179016B/21



- 22. Any damage to Council managed assets such as roads, footpaths, street trees and stormwater infrastructure, must be repaired at the cost of the developer to the satisfaction of the Responsible Authority prior to the issue of a Statement of Compliance (or such later time as may be agreed in writing by the Responsible Authority).
- 23. The Responsible Authority for plan checking and supervision must obtain, in writing, the name of the project coordinator appointed to oversee the works and notification of commencement date prior commencing works.
- 24. Prior to the issue of a Statement of Compliance, the developer is required to pay to The Responsible Authority a cash contribution of:
 - a. 0.75% of the total actual documented cost of the engineering works for the checking of engineering plans associated with the development approved herewith.
 - b. 2.50% of the total actual documented cost of the engineering works for the supervision of works associated with the development approved herewith.
- 25. Prior to the issue of Certificate of Practical Completion and subsequent Statement of Compliance, the Developer is to lodge a security bond to the Responsible Authority for 5% of the total actual documented cost of the engineering works based on actual tender 4 fees. This bond will be released following a satisfactory inspection, 52 weeks after a Certificate of Practical Completion is issued.
- 26. Following completion of all works, and prior to issuing of the Statement of Compliance, "as constructed" drawings must be submitted and accepted by the Council. The preferred format of the drawings are AutoCAD *.DWG or *.DXF.
- 27. Drainage drawings to DSpec requirements (or any other acceptable format by the Council) must be provided prior to issuing of the Statement of Compliance.
- 28. All design plans and specifications must be detailed in accordance with the IDM to the satisfaction of the Responsible Authority and will be valid for a period of 12 months only after approval. Following the expiry date design plans must be resubmitted for review and accepted prior to works commencing.

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No	P179016B/21



Ausnet Electricity Pty Ltd

29. The Plan of Subdivision submitted for certification must be referred to AUSNET ELECTRICITY SERVICES PTY LTD in accordance with Section 8 of the Subdivision Act 1988.

30. The applicant must:

- a. Enter in an agreement with Ausnet Electricity Services Pty Ltd for supply of electricity to each lot on the endorsed plan.
- b. Enter into an agreement with Ausnet Electricity Services Pty Ltd for the rearrangement of the existing electricity supply system.
- c. Enter into an agreement with Ausnet Electricity Services Pty Ltd for rearrangement of the points of supply to any existing installations affected by any private electric power line which would cross a boundary created by the subdivision, or by such means as may be agreed by Ausnet Electricity Services Pty Ltd.
- d. Provide easements satisfactory to Ausnet Electricity Services Pty Ltd for the purpose of "Power Line" in the favour of "Ausnet Electricity Services Pty Ltd" pursuant to Section 88 of the Electricity Industry Act 2000, where easements have not been otherwise provided, for all existing Ausnet Electricity Services Pty Ltd electric power lines and for any new power lines required to service the lots on the endorsed plan and/or abutting land.
- e. Obtain for the use of Ausnet Electricity Services Pty Ltd any other easement required to service the lots.
- f. Adjust the position of any existing Ausnet Electricity Services Pty Ltd easement to accord with the position of the electricity line(s) as determined by survey.
- g. Set aside on the plan of subdivision Reserves for the use of Ausnet Electricity Services Pty Ltd for electric substations.
- h. Provide survey plans for any electric substations required by Ausnet Electricity Services Pty Ltd and for associated power lines and cables and executes leases for a period of 30 years, at a nominal rental with a right to extend the lease for a further 30 years. Ausnet Electricity Services Pty Ltd requires that such leases are to be

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No P179016B/21



noted on the title by way of a caveat or a notification under Section 88 (2) of the Transfer of Land Act prior to the registration of the plan of subdivision.

- i. Provide to Ausnet Electricity Services Pty Ltd a copy of the plan of subdivision submitted for certification that shows any amendments that have been required.
- j. Agree to provide alternative electricity supply to lot owners and/or each lot until such time as permanent supply is available to the development by Ausnet Electricity Services Pty Ltd. Individual generators must be provided at each supply point. The generator for temporary supply must be installed in such a manner as to comply with the Electricity Safety Act 1998.
- k. Ensure that all necessary auditing is completed to the satisfaction of Ausnet Electricity Services Pty Ltd to allow the new network assets to be safely connected to the distribution network.

Country Fire Authority

- 31. Prior to the issue of a Statement of Compliance under the Subdivision Act 1988 the following requirements must be met to the satisfaction of the CFA:
 - a. Above or below ground operable hydrants must be provided. The maximum distance between these hydrants and the rear of all building envelopes (or in the absence of building envelopes, the rear of the lots) must be 120 metres and the hydrants must be no more than 200 metres apart. These distances must be measured around lot boundaries.
 - b. The hydrants must be identified with marker posts and road reflectors as applicable to the satisfaction of the Country Fire Authority.

Note –CFA's requirements for identification of hydrants are specified in 'Identification of Street Hydrants for Firefighting Purposes' available under publications on the CFA web site (www.cfa.vic.gov.au)

- 32. Roads must be constructed to a standard so that they are accessible in all weather conditions and capable of accommodating a vehicle of 15 tonnes for the trafficable road width.
 - a. The average grade must be no more than 1 in 7 (14.4%) (8.1 degrees) with a maximum of no more than 1 in 5 (20%) (11.3 degrees) for no more than 50 meters.

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No P179016B/21



Dips must have no more than a 1 in 8 (12%) (7.1 degree) entry and exit angle.

- b. Curves must have a minimum inner radius of 10 metres.
- c. Have a minimum trafficable width of 3.5 metres and be clear of encroachments for at least 0.5 metres on each side and 4 metres above the access way.
- d. Roads more than 60m in length from the nearest intersection must have a turning circle with a minimum radius of 8m (including roll-over kerbs if they are provided) T or Y heads of dimensions specified by the CFA may be used as alternatives.

Goulburn Valley Water

- 33. The applicant must arrange:
 - a. Payment of new customer contribution charges for water supply to the development, such amount being determined by the Corporation at the time of payment;
 - Provision of a reticulated water supply and associated construction works to each allotment within the development, at the developer's expense, in accordance with standards of construction adopted by and to the satisfaction of the Goulburn Valley Region Water Corporation;
 - Payment of new customer contributions charges for sewerage services to the development, such amount being determined by the Corporation at the time of payment;
 - d. Provision of reticulated sewerage and associated construction works to each allotment within the development, at the developer's expense, in accordance with standards of construction adopted by and to the satisfaction of the Goulburn Valley Region Water Corporation;
 - e. Provision of easements in favour of the Goulburn Valley Region Water Corporation over all existing and proposed sewer mains located within private property;
 - f. The operator under this permit shall be obliged to enter into an Agreement with Goulburn Valley Region Water Corporation relating to the design and construction of any sewerage or water works required. The form of such Agreement shall be to the satisfaction of Goulburn Valley Water. A copy of the format of the Agreement

Signature for the Responsible Authority

Planning Permit conditions continued

Permit No P179016B/21



will be provided on request;

g. The plan of subdivision lodged for certification is to be referred to the Goulburn Valley Region Water Corporation pursuant to Section 8(1) of the Subdivision Act, 1988.

Goulburn Murray Water

- 34. Any Plan of Subdivision lodged for certification must be referred to Goulburn Murray Rural Water Corporation pursuant to Section 8(1)(a) of the Subdivision Act.
- 35. Each lot must be provided with connection to the reticulated sewerage system in accordance with the requirements of Goulburn Valley Water.
- 36.All stormwater discharged from the site must meet the urban run-off objectives and Standard C25 as specified in Clause 56.07-4 of the Victorian Planning Provisions. All infrastructure and works to manage stormwater must be in accordance with the requirements of the Responsible Authority.
- 37. The plan of subdivision submitted for Certification must show a building exclusion zone to prevent future buildings being located within 30m of any waterway contained within the reserve. 2 5. All works within the subdivision must be done in accordance with EPA Publication 960 "Doing It Right on Subdivisions, Temporary Environmental Protection Measures for Subdivision Construction Sites", September 2004.

Expiry

- 38. This permit will expire if one of the following circumstances applies:
 - a. The plan of subdivision is not certified under the Subdivision Act 1988 within two (2) years of the date of this permit.
 - b. The subdivision is not completed within five (5) years of the date of certification under the Subdivision Act 1988.

The Responsible Authority may extend the periods referred to if a request is made in writing in accordance with Section 69 of the *Planning and Environment Act 1987*.

Signature for the Responsible Authority

Important information about this permit

What has been decided?

The Responsible Authority has issued a permit. (Note: This is not a permit granted under Division 5 or 6 of Part 4 of the Planning and Environment Act 1987.)

When does a permit begin?

A permit operates:


- · from the date specified in the permit, or
- · if no date is specified, from:
- i. the date of the decision of the Victorian Civil and Administrative Tribunal, if the permit was issued at the direction of the Tribunal, or
- ii. the date on which it was issued, in any other case.

When does a permit expire?

- A permit for the development of land expires if—
 - the development or any stage of it does not start within the time specified in the permit; or
 - the development requires the certification of a plan of subdivision or consolidation under the Subdivision Act 1988 and the plan is not certified within two years of the issue of the permit, unless the permit contains a different provision; or
 - the development or any stage is not completed within the time specified in the permit, or, if no time is specified, within two years after the issue of the permit or in the case of a subdivision or consolidation within 5 years of the certification of the plan of subdivision or consolidation under the Subdivision Act 1988.
- 2. A permit for the use of land expires if—
 - the use does not start within the time specified in the permit, or if no time is specified, within two years after the issue of the
 permit; or
 - the use is discontinued for a period of two years.
- A permit for the development and use of land expires if—
 - the development or any stage of it does not start within the time specified in the permit; or
 - the development or any stage of it is not completed within the time specified in the permit, or, if no time is specified, within two
 years after the issue of the permit; or
 - the use does not start within the time specified in the permit, or, if no time is specified, within two years after the completion of the development; or
 - · the use is discontinued for a period of two years.
- 4. If a permit for the use of land or the development and use of land or relating to any of the circumstances mentioned in section 6A(2) of the Planning and Environment Act 1987, or to any combination of use, development or any of those circumstances requires the certification of a plan under the Subdivision Act 1988, unless the permit contains a different provision—
 - the use or development of any stage is to be taken to have started when the plan is certified; and
 - the permit expires if the plan is not certified within two years of the issue of the permit.
- 5. The expiry of a permit does not affect the validity of anything done under that permit before the expiry.

What about reviews?

- The person who applied for the permit may apply for a review of any condition in the permit unless it was granted at the direction of the Victorian Civil and Administrative Tribunal, in which case no right of review exists.
- An application for review must be lodged within 60 days after the permit was issued, unless a notice of decision to grant a permit has been issued previously, in which case the application for review must be lodged within 60 days after the date of that notice.
- An application for review is lodged with the Victorian Civil and Administrative Tribunal.
- An application for review must be made on an Application for Review form which can be obtained from the Victorian Civil and Administrative Tribunal, and be accompanied by the applicable fee.
- An application for review must state the grounds upon which it is based.
- An application for review must also be served on the Responsible Authority.
- Details about applications for review and the fees payable can be obtained from the Victorian Civil and Administrative Tribunal.



Amended document endorsed by Timothy Josef Berger on 22/03/2022 for planning permit P179016B/21, Mansfield Shire Council, page 1 of 1